

SPIVEY SAFETY SERVICES, INC.

1209 N. INTERNATIONAL PLAZA
P.O. BOX 6677
CHESAPEAKE, VA 23323
(757) 485-8888





***SERVING THE TIDEWATER AREA
WITH QUALITY PRODUCTS AND
SUPERIOR SERVICE
SINCE 1979!***



RHINO SAFETY BARRIERS

setting the standard for portable safety and security



RAPID DEPLOYMENT

route or channel vehicular and pedestrian traffic



**RHINO
BARRIERS**

www.rhinobarriers.com

COST AND SERVICE BENEFITS

- Light weight—one person can move empty barriers
- Two people can set up 200ft/65m in under 30 minutes
- Portable
- Reusable
- Easy to stack, store and transport
- Eliminate crane and boom truck
- Less damage to equipment and personnel
- Cost effective compared to portable concrete barriers
- Year around service in any climate. A simple brine solution keeps water from freezing in extreme temperatures
- Will accept display banners for advertising and fencing



VDOT Standard Type III Barricade

**NCHRP-350 Certified
FHAWA Acceptance
#WZ-152 & #WZ-166**



ANCHOR BARRICADE FEATURES:

- **Innovative blowmolded base design!**
Allows for both strength and flexibility in a cost effective barricade system!
- **Simple assembly!** PSS plastic uprights fit into the Anchor base for easy setup and take-down!
- **Sand / water fillable!** Anchor base holds up to 45lbs. of sand per side (90lbs. per complete barricade) or 35lbs. of water per side (70lbs. water per complete barricade).
- **Protect your investment!** Flush mounting hardware for attaching center boards helps protect sheeting while providing added theft deterrence.

**M.U.T.C.D. Standard Type III Barricade
NCHRP-350 APPROVED**



TRAFFIC CONTROL

**TYPE II BARRICADES
METAL LEGS & PLASTIC BOARDS
MEETS ALL M.U.T.C.D. STANDARDS
NCHRP 350 CERTIFIED
RENTALS & SALES**



*Type II Barricade with
8" X 24" top panel
and bottom panel.*

FEATURE	TYPE II
LENGTH OF PANELS	24 INCHES
TOP PANEL WIDTH	8 INCHES
BOTTOM PANEL WIDTH	8 INCHES
LEGS	45" X 1 1/4" X 1 1/4"
WEIGHT	20 LBS APPROXIMATELY



TraFFix Big Sandy Impact Attenuator Sand Barrels

Tested and certified to meet the **crashworthy** requirements of NCHRP-350

Now there is an
Impact Attenuator
Sand Barrel
that is easy to move
and provides external
verification of the
barrels correct weight
of sand.



SPIVEY #512-00100	200/400/700# Combo Drum
SPIVEY #512-00200	1400#
SPIVEY #512-00300	2100#



TRAFFIC CONTROL

**ALL TRAFFIC CONTROL ITEMS MEET VIRGINIA AND
FEDERAL MUTCD STANDARDS
RENTALS & SALES**



LENS:

7" Polycarbonate fresnel design with 5/8" reflector ring meets S.A.E. standards J576B and J594D.

Available in Amber, Red, Blue, Green, and Clear.

Polycarbonate reflectors are available upon request.

HOUSING:

Model 100 - Hi-density polyethylene - UV stabilized Model 400 - Hi-impact polypropylene - UV stabilized Available in Yellow, Orange, Green, Red, Black and White.

Custom molded case identification and/or Hot Stamp imprinting available upon request.

Ultraviolet stabilized case materials assure outdoor durability

SPIVEY #545-00100

MARINE AND DREDGE LIGHTS



For use on barges, pilings, trestles or other marine obstructions.

Available in 6 or 12 volt DC with two 6 volt lantern batteries.

Available with Amber, Red, Green or Clear lens.

Amber-

SPIVEY #545-00500

Clear-

SPIVEY #545-00600

Green-

SPIVEY #545-00695

Red-

SPIVEY #545-00800



REFLECTORIZED CONES

&

CONE COLLARS



COLLARS SOLD SEPARATELY

4" 3M COLLAR - SPIVEY #520-00400

6" 3M COLLAR - SPIVEY #520-00500

CONE SIZES AVAILABLE

18"-SPIVEY #520-00100


28"-SPIVEY #520-00365

36" PLAIN-SPIVEY #520-00370

36" REFLECTIVE-SPIVEY #520-00375

CONE WEIGHTS

Maximize cone stability in high wind areas with tough compression molded rubber cone weights. Avoid having to "DOUBLE" cone.




SPIVEY #520-00700



Traf-flex Post

**This delineator post
bends over backwards
for safety**



Safety Guide

Safety Products and Devices

SPIVEY #535-00100 - Orange

SPIVEY #535-01000 - White

SPIVEY #535-00600 - Yellow

Available in orange, yellow, or white.

Also available with white or orange reflective stripe.

**** Note:** Adheres to road surface with a two-part epoxy.



TrafFix Channelizer Drum

High Density Drum - SPIVEY #515-01000
Low Density Drum - SPIVEY #515-0900



Tire Rings

SPIVEY #515-00300





ELECTRONIC ARROW ARROWMASTER

SOLAR ASSISTED ARROWBOARD



FEATURES

Panel positioning for maximum charging capabilities.

30 day autonomy - continuous operation without sun.

Par 46 long life LED lamps increase lamp live.

Automatic lamp intensity control to insure maximum visibility.

Hi-tech solid-state controller with "Auto-Track"

110 V AC power adapter with battery charger

Two 4D deep-cycle batteries

Low maintenance cost

Eliminates and and noise pollution

Eliminates fuel cost

Eliminates damage to pavement exposed to diesel fuel

Welded, heavy, all-steel construction, frame trailer

All aluminum panel

Versatile and easy to operate

Meets MUTCD specifications

RENTALS & SALES



Solar Message Center SOLAR ASSIST POWER


NO POLLUTION

NO NOISE

NO FUEL COSTS

NO ENGINE MAINTENANCE

NO CAUSTIC PAVEMENT EROSION



SYSTEM INTEGRITY

SOLAR POWERED SYSTEMS REQUIRE THAT THE POWER USED, OR LOAD, IS SUPPORTED BY AN ADEQUATE ENERGY STORAGE FACILITY (BATTERY BANK) AND GENERATOR (SOLAR PANELS). THE SOLAR MESSAGE CENTER IS CAPABLE OF OPERATING INDEPENDENTLY OF SUN FOR 30 DAYS WITH 2.5 HOURS OF GOOD SUN REQUIRED FOR EACH ADDITIONAL DAY OF OPERATION. THESE PARAMETERS REFLECT EXTENDED OPERATION WITHOUT INTERRUPTION UNDER NORMAL WEATHER CONDITIONS.

THE SOLAR MESSAGE CENTER IS A PORTABLE, CHANGEABLE MESSAGE SIGN CONSISTING OF L.E.D. (LIGHT EMITTING DIODE) LAMP MATRIX PANELS USING PATENTED OPTICAL ASSEMBLIES THAT EMIT BRIGHT, DISTINCTIVE MESSAGES TO THE TRAVELING PUBLIC. THE SOLAR MESSAGE CENTER IS POWERED BY BATTERIES WHICH ARE RECHARGED BY SOLAR PANELS TO PROVIDE LONG-LASTING SERVICE ON THE ROADWAY.



RENTALS & SALES
CALL FOR DAILY,
WEEKLY OR MONTHLY
RATES



T M A TRUCK MOUNTED ATTENUATORS

RENTALS & SALES
**CALL FOR DAILY,
WEEKLY OR MONTHLY
RATES**



The Scorpion measures only 13 feet long when fully extended



180° angle for high speed travel and storage over the truck bed (Approximately 10 ft. 6in. high)



90° angle for travel and storage (Approximately 12 ft. high)

The Scorpion TMA has been tested and PASSED ALL optional and mandatory requirements suggested in the NCHRP-350 Report for TL-3 evaluation criteria for speeds up to 62.5 mph (100m/h)



MOBILE LIGHTING



**RENTALS
&
SALES**

**CALL FOR DAILY, WEEKLY OR
MONTHLY RATES**



**SPIVEY
SAFETY
SERVICES**



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

SPIVEY SIGN DIVISION

On Site

Fabrication of Both Construction & Permanent Signs

A NAME YOU CAN TRUST FOR FAST DEPENDABLE SERVICE

***INSTALLATION AVAILABLE**

- | | |
|--|---------------------------|
| *STANDARD HIGHWAY SIGNS | *HANDICAP SIGNS |
| *CONSTRUCTION SIGNS | *NO PARKING SIGNS |
| *TEMPORARY TRAFFIC CONTROL | *STREET NAME SIGNS |
| *PERMANENT TRAFFIC CONTROL | *FAST TURNAROUND |
| *CUSTOM SIGNS MADE TO YOUR SPECIFICATIONS | |

—— SATISFACTION GUARANTEED ——

CALL TODAY FOR A FREE ESTIMATE

**ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS MEET
MUTCD AND VDOT STANDARDS**

SPIVEY RENTALS, INC. SERVING TIDEWATER SINCE 1969



DIAMOND GRADE ROLL UP SIGNS



576-00100



576-00300



576-00400



576-00600



576-00800



576-00900



576-00500



576-00700

FULL LIST OF LEGENDS IN STOCK

576-00100	ROAD WORK AHEAD	576-00900	MERGE LEFT SYMBOL
576-00200	UTILITY WORK AHEAD	576-01000	KEEP LEFT
576-00250	SURVEY CREW AHEAD	576-01050	"RIGHT" OVERLAY FOR KL
576-00300	RIGHT LANE CLOSED AHEAD	576-01100	END ROAD WORK (48"X24")
576-00350	"LEFT" OVERLAY FOR RLCA	576-01200	END UTILITY WORK (48"X24")
576-00375	"CENTER" OVERLAY FOR RLCA	576-01300	RIGHT SHOULDER CLOSED AHEAD
576-00400	LANE ENDS MERGE LEFT	576-01350	"LEFT" OVERLAY FOR 576-01300
576-00450	"RIGHT" OVERLAY FOR LEML	576-01400	MOWING AHEAD
576-00500	ONE LANE ROAD AHEAD	576-01450	WATCH FOR SLOW MOVING VEHICLES
576-00600	FLAGGER SYMBOL	576-01500	MOWING NEXT 2 MILES
576-00700	BE PREPARED TO STOP	576-01550	END MOWING (48"X24")
576-00800	MERGE RIGHT SYMBOL		



SIGN STANDS

Little Buster

SPIVEY #573-00150




TraFFix Stands

Tested and certified
to meet the
crashworthy requirements
of
NCHRP-350

Compact Stand

- GREAT FOR UTILITY CREWS
- SAVES ON SPACE

SPIVEY #573-00175





TRAFFIC FLAGS

**MEET MUTCD
SPECIFICATIONS**



24" ORANGE FLAG - 36" STAFF
SPIVEY #540-00200

24" RED FLAG - 36" STAFF
SPIVEY #540-00300

18" ORANGE KNITTED FLAG - 36" STAFF
SPIVEY #540-00100





**SPIVEY #590-00400
ECONOMY
REFLECTIVE - VINYL MESH**

SAFETY VESTS

CLASS III SAFETY VESTS

VDOT STYLE LIME GREEN



**LARGE
X-LARGE
XX-LARGE
4X-LARGE**

**SPIVEY #590-00100
SPIVEY #590-00125
SPIVEY #590-00150
SPIVEY #590-00175**

ORANGE MESH - CLASS III




**LARGE
X-LARGE
XX-LARGE
XXXX-LARGE**

**SPIVEY #590-00200
SPIVEY #590-00225
SPIVEY #590-00250
SPIVEY #590-00270**



STOP/SLOW PADDLES

“HIGH COMMAND” 24” STOP/SLOW PADDLES



Diamond Grade SPIVEY #578-00600

Tough Woven Poly Sandbags


Hem Top Polypropylene Sand Bags, size
14 1/2 X 26”, tie cord attached.
Economical and won’t rot like jute.



**SANDBAGS ARE EMPTY OR FILLED
SALES ONLY
SPIVEY #550-04000**

AIRPORT & TRUCK SIGNAL FLAG

Gigantic 36” x 36” flag with pocket for quick easy
mounting on you existing staff. Alternating
checkerboard 12” x 12” squares in orange and white.



SPIVEY #540-00400



BARRICADE TAPE

Ideally suited as an inexpensive or temporary traffic barrier o open trenches, damaged sidewalks or buildings, open pit mining, or emergency repair work. Many of our customers are using it for marking lanes in factories, warehouses and parking lots. Also for sporting events, golf tournaments and crowd control. No. RB Rocket Red/Orange vinyl coated nylon webbing is light but strong and stores in a compact space. Good fade resistance. Completely reusable.

RB 100 - 1" x 150' roll

SPIVEY #580-00100

RB 200 - 2" x 150' roll

SPIVEY #580-00200



No. YB Yellow/Black

HI-VIZ Sunrise yellow woven synthetic with a distinctive black stripe. Yellow/black color combination is easily recognized. Strong enough to be reused many times

YB 100 - 3/4" x 150' roll

SPIVEY #580-00490

YB 200 - 2" x 150' roll

SPIVEY #580-00500



LEGEND TAPE

Non-adhesive 3 mil polyethylene barricade tape is available in 3" x 1000" lengths or 3" x 300'. Available with special legends in significant quantities.



CAUTION - CAUTION - CAUTION
CAUTION - CONSTRUCTION AREA
CAUTION - DO NOT ENTER
CAUTION - KEEP OUT
CAUTION - OPEN TRENCH
DANGER - DANGER - (RED

SPIVEY #580-00900 - 300' - SPIVEY #580-01500
SPIVEY #580-01000
SPIVEY #580-01100- 300' - SPIVEY #580-01600
SPIVEY #580-01200
SPIVEY #580-01300
SPIVEY #580-01400



MARKING TAPE

FLOOR & AISLE MARKING TAPES

ALL AVAILABLE IN ROLLS 2" X 18 YARDS

Designed as a warning tape for marking hazardous areas and equipment such as aisle marking, wrapping around pillars, on barricades, etc. This tape is based on a stretchy bright film printed with diagonal stripes with a special resistant top coat.

White/Black

SPIVEY #580-00100

Yellow/Black

SPIVEY #580-00200



SURVEYOR'S TAPE

Flagging-rugged plastic tape in kng size 1 3/4" x 300' rolls. Sometimes known as engineer's flagging. Available in orange, red or blue

Orange

SPIVEY #580-00300

Red

SPIVEY #580-00400

Blue

SPIVEY #580-00410



BRIGHT FLOURESCENT DAY-GLO COLORS SURVEY TAPE

1 3/4" x 150" Rolls. Available in Lime Green, Flourescent Orange, Flourescent Pink and Flourescent Red

LIME GREEN

SPIVEY #580-00420

FLOURESCENT ORANGE


SPIVEY #580-00430

FLOURESCENT PINK

SPIVEY #580-00440

FLOURESCENT RED


SPIVEY #580-00450





PERMANENTLY PRINTED DETECTABLE MARKING TAPE


A. P. W. A. UNIFORM COLOR CODE



**BLUE-Caution buried water line below
SPIVEY #580-02000**

**GREEN-Caution buried sewer line below
SPIVEY #580-02100**

**YELLOW-Caution buried gas line below
SPIVEY #580-02200**



LOCATING TIPS

- Marking tapes should be buried 4-6" below the surface.
- If deeper burial is required a wider detectable tape should be used for detection purposes.
- When locating detectable marking tape, use a non-ferrous type metal locator. If a conductive type locator is used, you must have a proper ground.
- Make sure locator is working properly, battery is strong and unit is on



SAFETY FENCE

LIGHT WEIGHT AND ECONOMICAL

New easy to install, lightweight, economical and completely reusable safety fence is available in 4 foot X 100 foot rolls.

Easy to install and handle.

Rot and rust proof.

Completely reusable

New Economical Safety Fence
Heavy Duty Safety Fence

SPIVEY #065-00700
SPIVEY #065-00650


CONSTRUCTION SITES

INDUSTRIAL FACILITIES

**CROWD & TRAFFIC
CONTROL**

**TREE & RESTRICTED
AREA PROTECTION**

**OUTLINES HAZARDOUS
AREAS**



HARDWOOD POSTS

2" X 2" X 6' Hardwood Posts for Fence Installation
SPIVEY #065-00600

PLASTIC TIES

Plastic Handy Ties for Fence Installation
SPIVEY #065-00300



1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888



EASY-TO-INSTALL PLASTIC PARKING STOPS AND SPEED BUMPS




Dress up the appearance of your parking lot while contributing to a cleaner environment. PLC parking stops never need painting. They won't chip, crack or deteriorate from weather or road salts. Installation is simple. REBAR FASTENERS INCLUDED.

COLORS: YELLOW, WHITE, GRAY, BLUE AND BLACK

SIZES 6 FT. (STANDARD) 4 FT., AND 3 FT.

6 FT. YELLOW IN STOCK SPIVEY #068-00100



Easy install with lag bolts, you can now control speeding vehicle in you parking lots. Available in 9 ft., 6 ft., and 4 ft. lengths. Installation hardware included

COLORS: SAFETY YELLOW

9 FOOT

SPIVEY #068-00200

6 FOOT IN STOCK

SPIVEY #068-00300

**WE ALSO HAVE ALL PARKING LOT RELATED SIGNS!
CALL US FOR ALL YOUR SIGNING NEEDS!**



STRIPING PAINT



- ECONOMICAL SIZE • LONG LASTING • VIVID COLOR
- HIGHLY PIGMENTED • FAST DRY

Each case of 12-18 ounce cans will lay a 4" stripe approximately 1800 feet long.

This can is designed to operate in the Aervoe Vers-A-Striper applicator, but will perform at maximum capability in other striping machines.

Excellent adhesion to most surfaces including concrete, asphalt, gravel, soil, grass and metal.

COLOR CHOICES

710 - Traffic White
SPIVEY # 560-01700

720 - Traffic Yellow
SPIVEY # 560-01800

770 - Asphalt Black
SPIVEY #560-01900

750 - Handicap Blue
SPIVEY #560-02000



MARKING PAINT



Aervoe's new lead free marking paint is used on wood, concrete, asphalt, brick, gravel and turfgrass.

All marking paint formulations manufactured by Aervoe-Pacific Company are lead free. This industry first introduction has been achieved with no added cost to the end user. All customer and field safety engineer personnel can be assured that there is no longer a need to be concerned over the possible lead exposure limit while using Aervoe brand marking paints. Meets all OSHA user safety requirements.

Size: 17 Oz. Net Wt. Aerosol (20.2 Fluid Oz.)

Pack: 12 to case, Weight: 17lbs.

Fluorescent Colors

222 Fluorescent ORANGE

SPIVEY #560-01100

224 Fluorescent GREEN

SPIVEY #560-01200

202 Fluorescent YELLOW

SPIVEY #560-01300

207 WHITE

SPIVEY #560-00595

203 Fluorescent BLUE

SPIVEY #560-00590



**SPIVEY
SAFETY
SERVICES**



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888




- Lightweight
- Portable
- Easy assembly
- 26" long x 13" wide
approximately 4' high

SPIVEY #560-0230




VERS-A-STRIPER



Striping Stick

SPIVEY #560-02200


Marking Stick



-
- Approximately 32" long
 - Light weight, sturdy construction
 - One hand Operation
 - Contoured handle for easy grip
 - Convenient trigger actuator

SPIVEY #560-01500

SpotMarker




-
- 10" Overall length
 - One hand Operation
 - Good can Balance
 - Precision accuracy & control


SPIVEY #560-01400



DELINEATORS




Reflective Panels for concrete Barrier 8" X 12"
Apply with mechanical fasteners or mastic adhesive
***Ask for Barrier panels.**



IBM

The IBM allows you to protect your investment in guardrail with significantly reduced installation costs. IBMs fit over all steel I-Beam guardrail posts and are available with a choice of reflective sheeting which may be applied to one or both sides.



Barrier Side-mount Delineators

For use on the side of concrete barrier

WHITE SHEETING
YELLOW SHEETING

SPIVEY #530-02000
SPIVEY #530-01900


WHITE SHEETING
YELLOW SHEETING

SPIVEY #530-02100
SPIVEY #530-02200

All with 3M Diamond Grade Reflective Sheetings per VDOT Specifications




RAISED CHANNEL MARKERS



Raised Ceramic Channel Markers

- Help manage traffic in hard to manage areas
- Are available in brilliant white or yellow colors with or without reflective lenses. Lenses can be Amber, Clear or Red.
- Reflective on one or two sides.
- Vitreous Ceramic Markers extend service life up to 20 years.
- Easy to install and provide a professional appearance without specialized equipment and personnel.
- Economical compared to curb and/or raised island construction.
- Available in 6" Diameter with 1 3/4" Height or 8" Diameter with 2 7/8 Height.



Uses Include

- | | |
|-------------------|------------------------|
| • Gore marking | • Median approach |
| • Lane separation | • Island marking |
| • Lane reduction | • Toll booth marking |
| • Speed reduction | • Parking stalls, Etc. |

This item is custom ordered by request



1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

STIMSONITE® LIFE-LITE 88 PAVEMENT MARKER



Several variations of the LIFE-LITE 88 are available, forming a complete system for marking lane lines, center and edgelines, turn pockets, curb dividers and stop bars.

LIFE-LITE 88A


Both faces reflective in same color. Available in white, red, yellow or in special colors to order.

LIFE-LITE 88B

One face reflective, for mono-directional viewing, slightly lower cost than A units. Available in standard colors or special colors to order.

LIFE-LITE 88C

Dual purpose, two-way reflectorization for controlling wrong-way movement on divided highways or exit-entrance ramps. Supplied in any combination of white-red-yellow or to meet special requirements for color coding.



Installing the STIMSONITE LIFE-LITE 88
Detailed installation instructions are included with each shipment of LIFE-LITE 88 markers. Three simple steps are involved in the method.



Prepare Surface.



Apply epoxy to selected location, spreading evenly.



Place marker on previously determined position, applying slight pressure to force small epoxy bead around marker.

HOW TO ORDER


When ordering, use the following parts numbers to designate the Model and color you desire.



MODEL 88A

(2-Way Reflective-Same Color)

COLOR	PART NO.
WHITE 88AW	SPIVEY #530-00100
YELLOW 88AY	SPIVEY #530-00200



MODEL 88B

(1-Way Reflective)

COLOR	PART NO.
WHITE 88BW	SPIVEY #530-00300
YELLOW 88BY	SPIVEY #530-00400



MODEL 88E

(2-Way Reflective-Combination Color)

COLOR	PART NO.
RED/WHITE 88ERW	SPIVEY #530-00500
YELLOW/RED 88ERY	SPIVEY #530-00600



WIDE LOAD

SPIVEY #550-00300

OVER SIZE LOAD


SPIVEY #550-00200

Highway Banner

Special Wide Load Safety Banner Produced of Highly Durable Material to Assure Many Miles of Repeated Use.

Size 18" x 7'

Highway Warning Safety Triangle



SPECIFICATIONS

WEIGHT: 12.5 LBS

CASE SIZE: 19" X 5" X 8"


ASSEMBLY - One simple lift and assembly snaps together
PACKED THREE PER BOX

SPIVEY #550-00100

Slow Moving Vehicle Emblem



Your SMV Emblem should meet these specification and be displayed as shown. Locate on the rear-center of vehicle at a height of 3 to 5 ft. This position is best for eye contact and is within normal auto headlamp beam.



**PRESSURE SENSITIVE
PLASTIC
METAL**

**SPIVEY #550-00400
SPIVEY #550-00500
SPIVEY #550-00600**



SAFETY CANS



The F-15 Funnel is designed for use with Metal Type I Safety Cans. FM-approved, self-locking, HDPE.

F-15 FUNNEL

SPIVEY #090-00800

Safety Cabinets



Metal Type I Safety Cans


Eagle Type I Safety Cans for safer carrying and storing of gasoline and flammable liquids. One, two and five gallon models are made of galvanized steel. Equipped with brass pour spout and flame arrestor.



TYPE I-1 GAL

TYPE I-2 GAL

TYPE I-5 GAL



SPIVEY #090-00500

SPIVEY #090-00550

SPIVEY #090-00600

Metal Type II Safety Cans



Eagle Type II Safety Cans are made of galvanized steel and help reduce the danger of explosion while dispensing flammable liquids thru a flexible metal spout. Cans have brass flame arrestors in filler opening and pour spout.

TYPE II-5 GAL

SPIVEY #090-00700



These Eagle Safety Products meet OSHA requirements and most are either Factory Mutual Approved or listed by the Underwriters Laboratories, Inc., (UL) and Underwriters Laboratories of Canada (ULC).

LET US ORDER YOU SAFETY CABINETS!



WARNING LIGHTS

Signal revolving lights and strobe lights are safety devices designed to alert the motoring public of stationary or moving hazards. They are normally mounted on public service vehicles, snow plows, heavy machinery, lift trucks and all types of emergency vehicles. Since the intensity requirements of warning lights are different for most applications, Signal offers a wide selection of products to fit market needs. Signal warning lights, throughout the product range, are constructed of quality components. The lens covers are either polycarbonate or acrylic, metal housings are stainless steel, and revolving drive mechanisms are heavy duty permanent magnet motors.



MODEL 111
MAGNETIC MOUNT SPIVEY #570-00100



PERMANENT MOUNT SPIVEY #570-00700
MAGNETIC MOUNT SPIVEY #570-00750



MODEL 102
PERMANENT MOUNT SPIVEY #570-00300
MAGNETIC MOUNT SPIVEY #570-00400



LARGE QUAD FLASH
PERMANENT MOUNT SPIVEY #570-00810
MAGNETIC MOUNT SPIVEY #570-00820





LIGHT BARS

Halogen Rotating Bars

HALOGEN ROTATOR MINI-BAR

- Color: Amber*
- 12 volt system
- 24 volt system available
- 95 flashes per minute
- 8.0 amp draw on 12 volt system
- Two 55-watt Halogen rotators
- Durable polycarbonate lens with gasket
- Diamond mirror
- Permanent Mount
- 24-month warranty
- *Other lens colors available



MAGNETIC, HALOGEN ROTATOR MINI-BAR

- Magnetic Mount (includes four 50 lb. pull magnets, cigarette lighter plug adapter and cord)

**MAGNETIC
PERMANENT**


**SPIVEY #570-00108
SPIVEY #570-00105**

16" DOUBLE AND QUAD FLASH STROBE MINI-BARS

16" Double Strobe Bar

- Magnetic Mount
- Voltage: 12-24 VDC
- Joules: 11.25 JOULES
- Colors: Amber, Blue, Clear and Red
- Size: 16"L x 7.25"W x 4.75"H

MAGNETIC SPIVEY #570-00150





WATER COOLERS



**2 GAL COOLER
3 GAL COOLER
5 GAL COOLER
10 GAL COOLER**

**5000 4 OZ. CUPS
200 4 OZ. CUPS
4 OZ. DISPENSER
4 OZ. METAL DISPENSER
5 GAL MOUNT BRACKET
10 GAL MOUNT BRACKET**

**SPIVEY #150-00625
SPIVEY #150-00650
SPIVEY #150-00700
SPIVEY #150-00800**

**SPIVEY #150-00100
SPIVEY #150-00150
SPIVEY #150-00300
SPIVEY #150-00500
SPIVEY #150-01200
SPIVEY #150-01300**





FIRST AID



223-U 25 MAN KIT

25 PERSON, 106-PIECE BULK KIT

QTY	DESCRIPTION
1 ea	223-U Plastic case, 9" x 8 3/8" x 2 3/8"
1 ea	223-G 16 unit plastic case w/gasket, 9 1/16" x 6 5/16" x 2 3/8"
2 bx	50 - 3/4" X 3" Adhesive plastic bandages, 25/bx
3 ea	1 3/4" x 3" Large fingertip fabric bandages
2 ea	1 1/2" x 3" Knuckle fabric bandages
1 ea	36" x 36" x 51" Triangular sling/bandage, w/2 safety pins
6 ea	2" x 2" Gauze dressing pads, 3 2-pks.
1 ea	2" x 4.1 yds. Conforming gauze roll bandage
1 ea	5" x 9" Trauma pad
1 ea	Sterile eye pad
12 ea	Antiseptic cleansing wipes (sting free)
6 ea	Triple antibiotic ointment packs
3 ea	Insect sting relief pads
1 ea	Eye wash, 4 oz.
1 ea	4" x 5" Instant cold compress
12 ea	Aspirin tablets, 6 2-pks
1 ea	1/2" x 5 yds. First aid tape roll
1 ea	4 1/2" Scissors, nickel plated
1 ea	4" Tweezers, plastic
2 ea	Exam quality gloves, 1 pair
1 ea	First aid guide

225-U 50 MAN KIT

50 PERSON, 194-PIECE BULK KIT

QTY	DESCRIPTION
1 ea	223-U Plastic case, 10 3/4" x 11 1/4" x 3"
1 bx	100 - 3/4" X 3" Adhesive plastic bandages
1 bx	1-36" x 36" x 51" Triangular sling/bandage, w/2 safety pins
1 ea	2" x 5 yds. Latex free elastic bandage
2 ea	2" x 4.1 yds. Conforming gauze roll bandage
1 ea	3" x 4.1 yds. Conforming gauze roll bandage
2 bxs	12 - 2" x 2" Gauze dressing pads, 3 2-pks/bx
1 bx	1 - 32 sq. in. Absorbent gauze compress
2 bxs	4 - Sterile eye pads, 2/bx
1 bx	18 - Antiseptic cleansing wipes (sting free)
1 bx	10 - Triple antibiotic ointment packs
1 bx	10 - Insect sting relief pads
1 ea	Eye wash, 4 oz.
1 bx	CPR pack includes: 1 Rescue Breather™ CPR one-way valve faceshield, 2 large latex gloves, and 3 antiseptic cleansing wipes (sting free)
1 bx	1 - 4" x 5" Instant cold compress
1 bx	20 - Aspirin tablets, 10 2-pks
1 ea	1/2" x 10 yds. First aid tape roll
1 ea	4 1/2" Scissors, nickel plated
1 ea	4" Tweezers, plastic
2 ea	Exam quality gloves, 1 pair
1 ea	First aid guide



EYE & FACE WASH STATIONS

Portable Eyewash Station

Lack of an emergency eyewash station is one of the top OSHA citations. Protect employees as required by law and guard against personal injury claims. Station comes with water preservative. Change water every 90 days.

Unit measures 25 1/2" x 20" x 9 1/2"

- Compliance - ANSI Z358.1
- 1-Hand Operation
- Gravity Fed
- 15-Minute Flow Time
- Portable
- No Plumbing Required, Mounting Bracket Included

SPIVEY #050-02700

Eyewash Water Preservative

- For Use With Eyewash Station #5135
- Potable Water Preservative
- Add One Bottle For Each 15 Gallons of Water

SPIVEY #050-02750



**TRIPLE 16 OZ. EYE WASH WITH
WALL MOUNTS**

SPIVEY #050-03000



EYE PROTECTION



Complete Line of Safety Glasses

For All Your Eye Protection Needs

**Glasses Meet All ANSI
Requirements for
Eye Protection**

**Most Popular
Economic**

Leader®

- Black Arms/Clear Lens
SPIVEY #050-03100
- Black Arms/Smoke Lens
SPIVEY #050-03125



EYE PROTECTION

FLEXIBLE COVER GOGGLES

WITH "STATE-OF-THE-ART" LEXAN POLYCARBONATE LENSES

These soft vinyl cover goggles offer comfort and protection against flying particles, dust and splash. Injection molded from soft, pliable, non-irritating vinyl these goggles fit all sizes and shapes, and fit comfortably over large size prescription glasses.



Soft vinyl frame with perforations for maximum ventilation. Optical quality, distortion free, replaceable polycarbonate lens. Protects against hazards of flying particles. Individually boxed.

CLEAR BODY & LENS	SPIVEY #050-00100
GREEN BODY & LENS	SPIVEY #050-00200

NO FOG GOGGLES

For those applications where fogging occurs, we offer these soft vinyl goggles with special "NO FOG" LENS. Our polycarbonate lens is specially processed to reject condensation and fogging. We invite you to conduct your own tests...and judge for yourself.



CLEAR BODY & LENS	SPIVEY #050-00300
GREEN BODY & LENS	SPIVEY #050-00400

WELDERS AND CHIPPERS GOGGLES

SOFT FRAME FLEXIBLE VINYL COVER GOGGLES

Very comfortable, extremely popular. Well ventilated. Fit over prescription glasses. With 50MM plastic welding lenses.



SPIVEY #050-01700



HEARING PROTECTION



CODE 510 HEARING PROTECTOR

For high noise environment. Deluxe model with adjustable steel headband, covered with a padded soft vinyl extrusion. Extremely comfortable.

SPIVEY #110-00300

CODE 510-2 HEARING PROTECTOR

For moderate noise environment. Economy model, cups adjust on one-piece headband.

SPIVEY #110-00310



CODE 511 HEARING PROTECTOR (HELMET MOUNT)

For helmets with 35mm slotted sides. Spring tension holds the protectors snugly against ears

SPIVEY #110-00400



6800 PURA-FIT

Disposable foam ear plugs rated at NRR 31. Tapered for easier insertion. Hygienically packed in biodegradable paper pouches. (One pair per pouch.) Brightly colored for easy compliance checks.

NO CORD

SPIVEY #110-00100

200 PAIRS PER DISPENSER BOX



6900 PURA-FIT WITH CORD

Disposable foam ear plugs rated at NRR 31. Tapered for easier insertion. Hygienically packed in biodegradable paper pouches. (One pair per pouch.) Brightly colored for easy compliance checks.

WITH CORD

SPIVEY #110-00600

100 PAIRS PER DISPENSER BOX



RESPIRATORS



1100 PURA-MASK

For non-toxic nuisance dusts and particles only. Packaged 50 per box, 12 boxes per case.


SPIVEY #130-01600



2200 DUST & MIST RESPIRATOR

NIOSH/MSHA approved for dusts and mists with a PEL not less than .05 mg/m³. Meets OSHA guidelines for up to 10 x PEL. TC-21C-287. Packaged 20 per box, 12 boxes per case.


SPIVEY #130-01700



2300 DUST & MIST RESPIRATOR

NIOSH/MSHA approved for not less than .05 mg/m³. Meets OSHA guidelines for up to 10 x PEL. TC-21C-350. Packaged 10 per box, 10 boxes per case.

SPIVEY #130-01800



2400 DUST & MIST RESPIRATOR

Plus relief from nuisance levels of organic vapor odors. NIOSH/MSHA approved for dusts and mists with a PEL not less than .05 mg/m³. Meets OSHA guidelines for up to 10 x PEL. TC-21C-524. Packaged 10 per bag, 10 bags per case.


SPIVEY #130-01900



2500 DUST & MIST RESPIRATOR

Plus relief from nuisance levels of acid gas irritants. NIOSH/MSHA approved for dusts and mists with a PEL of not less than .05 mg/m³ up to 10 x PEL. TC-21C-523. Packaged 10 per bag, 10 bags per case.

SPIVEY #130-02000



3400 WELDING FUME RESPIRATOR

NIOSH/MSHA approved for fumes, dusts and mists with a PEL of not less than .05 mg/m³ up to 10 x PEL. TC-21C-418. Packaged 5 per bag, 10 bags per case.

SPIVEY #130-02100



HEAD PROTECTION AMERICANA

Maverick is a new safety helmet specifically designed to provide head protection for the cost sensitive customer.

Features

- WEIGHS ONLY 11 OZS.
- "QUICK SLIDE" SIZING
- UNIVERSAL SIDE ACCESSORY SLOTS
- LOW NAPE STRAP
- CUSHIONED BROW PAD
- 4 POINT SUSPENSION
- FITS SIZES 6 1/2 TO 7 3/4
- RAIN TROUGH RIM

Logos or slogans may be imprinted on the front, back and sides of cap in single or multi-color designs. Maverick is available in many colors and meets all applicable OSHA regulations and ANSI Z89.1 Class A, B and C requirements.



WHITE	SPIVEY #100-03400
YELLOW	SPIVEY #100-03500
RED	SPIVEY #100-03600
ORANGE	SPIVEY #100-03700
BLUE	SPIVEY #100-03800
REPLACEMENT SUSPENSION	SPIVEY #100-03300

OTHER COLORS AVAILABLE



HEAD PROTECTION



OMEGA II RATCHET

The Omega II Ratchet .

Features

- FITS SIZES 5 7/8 TO 8
- 6 POINT SUSPENSION
- LIGHTWEIGHT
- UNIVERSAL ACCESSORY SLOTS
- CUSHIONED BROW PAD
- LOW NAPE STRAP
- AVAILABLE IN MANY COLORS
- AVAILABLE WITH LOGOS OR SLOGANS

Omega II Ratchet meets all applicable OSHA regulations and ANSI Z89.1 Class A, B and C requirements.

WHITE	SPIVEY #100-03100
YELLOW	SPIVEY #100-03150
ORANGE	SPIVEY #100-03200
BLUE	SPIVEY #100-03225
RED	SPIVEY #100-03250

REPLACEMENT SUSPENSION

SPIVEY #100-03000

ALSO LOGOS OR SLOGANS AVAILABLE





**SPIVEY
SAFETY
SERVICES**



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

HEAD PROTECTION

OMEGA II FULL BRIM RATCHET



Omega II Full Brim hard hat is molded from high density polyethylene for maximum protection and comfort. The shell's full brim design offers workers added protection from sun, rain and glare. The cushioned brow pad quickly absorbs perspiration and wicks it away from the wearer's forehead. Typical users included construction, highway, maintenance and utility workers. The six point suspension features the "Secure-fit" ratchet system.

Meets all applicable OSHA regulations and ANSI Z89.1 Class A, B and C requirements.

ORANGE	SPIVEY #100-04000
WHITE	SPIVEY #100-04100
RED	SPIVEY #100-04200



WINTER LINERS



FLANNEL LINER

Tightly woven cotton, lined with napped flannel. Head band tabs and chin strap with plastic snap buttons. universal size. Flame retardant.

SPIVEY #100-02400



QUILTED LINER

Flame retardant, three suspension tabs, Velcro chin strap, dielectric, stretch quilt, universal size.

SPIVEY #100-02600



STRETCH LINER

Nylon knit, elasticized for snug fit, washable, universal size, navy blue.

SPIVEY #100-02700



With Mouth Cover **SPIVEY #100-02500**
No Mouth Cover **SPIVEY #100-02550**



FALL PROTECTION

FULL BODY HARNESS



LARGE
XLARGE

SPIVEY #060-00090
SPIVEY #060-00095

ROPE GRAB



0110

- Fits 5/8" Rope
- Aluminum Construction
- Rugged and Durable

SPIVEY #060-00525

50' LIFE LINE



Constructed of 5/8" low elasticity SafeCom® polydac blended rope. Double locking snap hook on one end and back spliced on the other end.

SPIVEY #060-00550



MANHOLE GUARDS



Manhole guards are available in 33" or 42". For smaller or larger manholes.

**33" Guard only
SPIVEY #060-01700**

**42" Guard only
SPIVEY #060-01600**



Material Lift

For use with universal guards

- 300 LB CAPACITY LIFT
- 1/2" X 35" BRAIDED ROPE
- TWO INDEPENDENT RATCHET SYSTEMS
- DOUBLE DISK AUTOMATIC BRAKE
- 3" DRUM FOR FAST RECOVERY

* Material lift ordered upon request.

Guard and lift may be ordered together or separately



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

GLOVES

SPIVEY #030-00100
Leather Driver's Gloves



SPIVEY #030-01400
**Economy Leather with
Polar Gauntlet Cuff**



SPIVEY #030-00800
BROWN JERSEY GLOVE



SPIVEY #030-00500
PVC Coated Black Glove



SPIVEY #030-00700
Rough Finish Blue Nitrile

- Heavy weight coated
- Jersey lined
- Fully coated, 2 1/2" plasticized safety cuff





RAINWEAR

COMPLETE RAINSUITS



SMALL
MEDIUM
LARGE
LARGE
XX LARGE
XXX LARGE

SPIVEY #040-00100
SPIVEY #040-00200
SPIVEY #040-00300
SPIVEY #040-00400
SPIVEY #040-00425
SPIVEY #040-00450

Knee Boots



- 16" Length
- Fabric lined
- Steel shank
- Bar-tread outsole
- Over-the-sock style

Size 8 SPIVEY #020-00108
Size 9 SPIVEY #020-00109
Size 10 SPIVEY #020-00110
Size 11 SPIVEY #020-00111
Size 12 SPIVEY #020-00112
Size 13 SPIVEY #020-00113

Slush Boots



- Top strap and buckle
- 17" Length
- Fabric lined
- Bar-tread outsole
- Over-the-shoe style

Size 8 SPIVEY #020-00608
Size 9 SPIVEY #020-00609
Size 10 SPIVEY #020-00610
Size 11 SPIVEY #020-00611
Size 12 SPIVEY #020-00612
Size 13 SPIVEY #020-00613
Size 14 SPIVEY #020-00614



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

10 x 14 (P)



140-00010

10 x 14 (P)



140-00130

10 x 14 (P)



140-00165

10 x 14 (P)



140-00225

10 x 14 (P)



140-00235

10 x 14 (P)



140-00260
6 x 6 (P)

10 x 14 (P)



140-00330

10 x 14 (P)



140-00350

10 x 14 (P)



140-00411



140-00450

9 x 12 (P)



140-00460

9 x 12 (P)



140-00470

10.75 x 10.75 (P)



140-00482

6 x 7 (S)



140-00490

1 x 5.5 (S)




140-00500

2.5 x 14.5 (S)



140-00510

8.5 x 11.5 (S)



140-00520

9 x 12 (S)



140-00540

9 x 12 (S)



140-00550

2.5 x 2.5 (S)




140-00560

4 x 12 (S)



140-00570

2 x 4 (S)



140-00530



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888





A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

10 x 14 (S)



140-00760

3 x 4 (S)



140-00765

9 x 12 (S)



140-00770

6 x 18 (S)



140-00780



140-00790



140-00791



140-00800

6 x 12 (S)



140-00810

2 x 2 (S)



140-00815

2 x 9 (S)



140-00820

4 x 18 (S)




140-00825

3 x 5 (S)



140-00830

3 x 5 (S)



140-00840

2 x 5 (S)



140-00850

2 x 5 (S)



140-00860

3 x 12 (S)



140-00870

9 x 12 (S)



140-00880

9 x 12 (S)



140-00883

9 x 12 (S)



140-00900

9 x 12 (S)



140-00910



A Complete Line of Safety Supplies

1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

9 x 12 (S)



140-00920

9 x 12 (S)



140-00930

9 x 12 (S)



140-00940

9 x 12 (S)




140-00950

6 x 36 (S)



140-00960

9 x 12 (S)



140-00970

9 x 12 (S)



140-00980

9 x 12 (S)



140-00990

9 x 12 (S)



140-01000

3 x 5.5 (T)



140-01010

12 x 18 (P)



140-01020

9 x 12 (S)



140-01030

9 x 12 (S)



140-01040

10 x 14 (S)



140-01045

10 x 14 (S)



140-01050

10 x 14 (S)



140-01060

5 x 6 (S)



140-01065

9 x 12 (S)



140-01070

1.5 x 3 (S)



140-01075

2 x 5 (S)



140-01078



1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

10 x 14 (S)



140-01080

10 x 14 (S)



140-01090

6 x 9 (S)



140-01095

4 x 18 (S)



140-01096

10 x 14 (S)



140-01100

10 x 14 (S)




140-01110

10 x 14 (S)



140-01120

9 x 12 (S)



140-01130

9 x 12 (S)



140-01140

9 x 12 (S)



140-01150

9 x 12 (S)



140-01160

10 x 14 (S)



140-01170

10 x 14 (S)



140-01180

10 x 14 (S)



140-01190

10 x 14 (S)




140-01200

10 x 14 (S)



140-01210

9 x 12 (S)




140-01220

9 x 12 (S)




140-01230

9 x 12 (S)



140-01235

10 x 14 (P)



140-01238



1209 N. INTERNATIONAL PLAZA • P.O. BOX 6677 • CHESAPEAKE, VA 23323 • (757) 485-8888

10 x 14 (S)



140-01240

10 x 14 (S)



140-01250

10 x 14 (S)




140-01260

2 x 6(S)



140-01264

9 x 12 (S)



140-01266



140-01270
10 x 10 (S)

4 x 4 (S)



140-01313



140-01314
11 x 11 (S)

10 x 14 (S)



140-01315

10 x 14 (S)



140-01318

6 x 9 (S)



140-01320

3 x 5 (T)




140-01330

9 x 12 (S)



140-01550

4 x 4 (S)



140-01560

4 x 4 (S)



140-01570



A

Airport Flags	19
Arrowboards	10
Attenuator Barrels.....	5

B

Barrels, Traffic Control.....	6
Barricades	3, 4
Barricades, Lights.....	6
Barricades, Tape.....	20
Barrier Panel	28
Boots	50

C

Cabinets, Safety	33
Caution Tape	20
Channel Markers	30
Channelizers	8
Cones	7
Cones Weights	7
Crash Cushions	12

D

Delineators	8, 29, 30, 31
Drums	9
Dust Masks.....	42

E

Ear Plugs	41
Electronic Arrows	10
Eye Protection	38, 39, 40
Eye Wash Station	38

F

Fall Protection	47
First Aid Kits	37
Fence, Safety.....	23
Flags	17

G

Gas Cans.....	33
Glasses, Safety.....	39, 40
Gloves.....	49
Goggles	40

H

Hard Hats	43, 44, 45
Highway Banners	32
Highway Safety Triangles	32
Hearing Protection.....	41

I

Interstate Stands	16
-------------------------	----

L

Lanyards	47
Light Bars	35
Lights, Barricade	6
Lights, Revolving	34
Light Tower	13

M

Manhole Guards	48
Marine Lights.....	6
Marking Tape	21
Marking Paint	26
Message Boards	11
Mobile Lighting.....	13

O

Oversized Load Banner.....	32
----------------------------	----

P

Paint, Marking	26
Paint, Striping	25
Parking Blocks	24
Pavement Markers	30, 31
Portable Changeable Message Sign.....	11
Post, Delineator	8
Posts, Fence.....	23

R

Rain Wear	50
Respiratory Protection.....	42
Revolving Lights	34
Rhino Safety Barriers	2
Roll-up Signs	15
Rope Grabs	47



S

Safety Cans	33
Safety Fence.....	23
Safety Glasses.....	39, 40
Safety Vests.....	18
Sand Bags	19
Signs, Accident Prevention	14
Signs, Roll-up	15
Signs, Traffic	14
Sign Stands	16
Slow Moving Vehicle Emblem	32
Speed Bumps.....	24
Spring Stands.....	16
Stop/Slow Paddles.....	19
Striping Equipment.....	27, 28
Striping Paint	25
Strobe Lights	34

T

Tape, Aisle Marking	21
Tape, Barricade	20
Tape, Caution	20
Tape, Detectable Underground	22
Tape, Surveyor.....	21
Tire Weight.....	9
Traffic Cones.....	7
Traffic Drums	9
Truck Mounted Attenuator.....	12
Tubular Delineator	8
Type III Barricade.....	3

V

Vests	18
-------------	----

W

Warning Lights, Barricade	6
Warning Lights, Revolving.....	34
Water Coolers.....	36
Wide Load Banners.....	32
Winter Liners	46